

# enviro STORE

the tank specialists

## The Envirostore Range of Tanks



### *The Alternative Choice*

Bunded Tanks, Fuel Dispensers  
Enviroblu Tanks, Single Skin Tanks,  
Non Potable & Potable Water Tanks  
Waste Oil Tanks and Storage Bunkers

## CONTENTS

### Page

2	Bunded Tanks
4	Fuel Dispensers
6	Enviroblu Tanks
8	Single Skin Tanks
10	Non-Potable Water Tanks
12	Potable Water Tanks
14	Waste Oil Tanks
16	Storage Bunkers
18	Optional Accessories
19	Warranty & Installation

**Envirostore Tanks Limited** was formed by a group of individuals with many years experience in the field of oil tank design, manufacturing and sales.

We have created a quality tank which will provide many years of reliable storage for fuel, waste oil, potable and non-potable water, which will stand the test of time in a very competitive market place.

At Envirostore, we have a very simple three step approach to how we run our business:

- Produce tanks from the best base materials and the most reliable fittings.
- Test 'in house' all tanks before they leave the factory.
- Deliver a quality product to the customer, at the right price, and on time.

**The alternative choice**

We understand that customers have a choice and that in a competitive market place the need to provide something different or unique becomes even more important.

Our solid, secure, lockable lid for example - we firmly believe that we have created the strongest possible lid for use on all our tanks, both Bunded and Single Skin and our unique inner tank spill tray is a simple, very effective design feature that stops possible overspill of fuel during filling.

**The choice is yours**

As Envirostore are completely independent, we are free to offer our customers a flexible approach when ordering tanks, particularly in relation to gauges and fittings.

We can manufacture and provide customers with the complete package, or if they wish to source their own fittings, particularly gauges, then we can supply just the tank.

**Service is our passion, customers our strength**

At Envirostore we expect our outside suppliers to provide us with a level of service that enables us to offer our customers the same in return, with a quality product, service and reliability, at the right price.

With this in mind, we have pleasure in introducing our product range to you...

*All Bunded Tanks are fitted with a translucent inner tank for easier and safer filling.*





## NEW REGULATIONS FOR OIL TANKS IN WALES

See inside back cover for details.

## MAE RHEOLIADAU STORIO OLEW NEWYDD BELLACH MEWN GRYM YNG NGHYMRU

Gweler y tu mewn i'r clawr cefn am fanylion.



# THE BUNDED TANK (Inner tank manufactured to EN13341)

We firmly believe in the use of Bunded Tanks for all installations and actively promote them wherever possible.

By installing a Bunded Tank for oil storage any risk of spillage is minimised.

With a wide range of sizes available they are suitable for domestic, industrial and institutional use.



Optional cabinet for 5000 EVB and 8050 EVB Bunded Tanks



### 750 ESB

<b>Brimful</b>	850 litres
<b>Nominal</b>	808 litres
<b>Length</b>	1735mm
<b>Width</b>	680mm
<b>Height</b>	1375mm
<b>Footprint</b>	1615mm x 680mm

No lifting points on this model

### 1000 ESB

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	2000mm
<b>Width</b>	680mm
<b>Height</b>	1475mm
<b>Footprint</b>	1920mm x 680mm



### 1225 ESB

**Brimful** 1270 litres  
**Nominal** 1206 litres  
**Length** 2060mm  
**Width** 860mm  
**Height** 1670mm  
**Footprint** 2060mm x 860mm



### 1250 EHL

**Brimful** 1330 litres  
**Nominal** 1260 litres  
**Length** 1990mm  
**Width** 1430mm  
**Height** 1130mm  
**Footprint** 1890mm x 1350mm



### 1300 EHB

**Brimful** 1400 litres  
**Nominal** 1330 litres  
**Length** 1900mm  
**Width** 1310mm  
**Height** 1510mm  
**Footprint** 1490mm x 1270mm



### 1800 EHB

**Brimful** 1890 litres  
**Nominal** 1800 litres  
**Length** 2050mm  
**Width** 1355mm  
**Height** 1530mm  
**Footprint** 1800mm x 1290mm



### 2500 EHB

**Brimful** 2625 litres  
**Nominal** 2493 litres  
**Length** 2230mm  
**Width** 1540mm  
**Height** 1670mm  
**Footprint** 1840mm x 1490mm



### 1360 EVB

**Brimful** 1360 litres  
**Nominal** 1300 litres  
**Length** 1280mm  
**Width** 1280mm  
**Height** 1680mm  
**Footprint** 1280mm x 1280mm



### 2500 EVB

**Brimful** 2690 litres  
**Nominal** 2555 litres  
**Length** 1680mm  
**Width** 1680mm  
**Height** 1740mm  
**Footprint** 1680mm x 1680mm



### 5000 EVB

**Brimful** 5280 litres  
**Nominal** 5016 litres  
**Length** 2100mm\*\*  
**Width** 2138mm  
**Height** 2300mm  
**Footprint** 2130mm x 2130mm



### 8050 EVB

**Brimful** 8050 litres  
**Nominal** 7650 litres  
**Length** 2400mm\*\*  
**Width** 2400mm  
**Height** 2500mm  
**Footprint** 2400mm x 2400mm

\*\*Add 680mm to the length if an optional cabinet is required for low level filling



# THE FUEL DISPENSER

With a unique rear fitted lid arrangement\*, the Envirostore Fuel Dispenser makes it easier for the tank to be filled without having to struggle with the hose and pump area at the front.

The fill area is at the rear of the horizontal tanks in this range, creating more space inside the cabinet for the pump and hose to be stored away neatly. It also reduces the chance of damage to the hose whilst filling.

\* A front filling option is also available for 1300 EHFD and 2500 EHFD models only

**BASIC MODELS AVAILABLE**  
Call for more details



Lifting points

\*No lifting points on 1000ESFD



Cabinet stand for the 5000 EVFD and 8050 EVFD



Translucent inner tank for easier and safer filling



## 10 Micron Filter

Supplied with all models for water and particle filtration.







### 1000 ESFD\*

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	2000mm
<b>Width</b>	680mm
<b>Height</b>	1900mm
	1475mm (to lid)
<b>Footprint</b>	1920mm x 680mm



### 1300 EHFD

<b>Brimful</b>	1400 litres
<b>Nominal</b>	1330 litres
<b>Length</b>	1830mm
<b>Width</b>	1300mm
<b>Height</b>	1800mm
<b>Footprint</b>	1340mm x 1230mm



### 2500 EHFD

<b>Brimful</b>	2625 litres
<b>Nominal</b>	2493 litres
<b>Length</b>	2230mm
<b>Width</b>	1530mm
<b>Height</b>	1960mm
<b>Footprint</b>	1700mm x 1470mm



### 1360 EVFD

<b>Brimful</b>	1360 litres
<b>Nominal</b>	1300 litres
<b>Length</b>	1280mm
<b>Width</b>	1280mm
<b>Height</b>	1930mm
<b>Footprint</b>	1280mm x 1280mm



### 2500 EVFD

<b>Brimful</b>	2690 litres
<b>Nominal</b>	2555 litres
<b>Length</b>	1625mm
<b>Width</b>	1625mm
<b>Height</b>	1950mm
<b>Footprint</b>	1625mm x 1625mm



### 5000 EVFD

<b>Brimful</b>	5280 litres
<b>Nominal</b>	5016 litres
<b>Length</b>	2818mm
<b>Width</b>	2138mm
<b>Height</b>	2160mm
<b>Footprint</b>	2818mm x 2130mm



### 8050 EVFD

<b>Brimful</b>	8050 litres
<b>Nominal</b>	7650 litres
<b>Length</b>	3068mm
<b>Width</b>	2388mm
<b>Height</b>	2560mm
<b>Footprint</b>	3090mm x 2400mm

All 230 Volt model Fuel Dispensers are now fitted with a light and an electrical connection point as standard.

If your Fuel Dispenser has had a light fitted it should only be turned on when the pump is being used. **The light is NOT intended for continuous use** and must be turned off after pumping has been completed.

**Electric pumps should NOT be run off a generator and avoid using an extension cable as using either of these methods to power the pump can run the risk of an electric shock, and may affect your warranty in the event of a pump failure.**

### Standard equipment on all 230 volt full spec Fuel Dispensers

- Fuel Pump\*
- Flow Meter
- Minimum of 6 metres of Delivery Hose
- Auto Shut-off Nozzle

### Optional extras

- Apollo Gauge
- Filstop Overfill Device\*\*

\* We reserve the right to change pumps without prior notice.

\*\* Fitted as standard to 5000 and 8500 models only



# THE ENVIROBLU TANK

Enviroblu tanks are designed with the quality customers expect from Envirostore, at an affordable price.

The Enviroblu tank comes in an attractive blue coloured outer and is available as a horizontal or vertical tank in a wide range of sizes.

The Inner storage tank is produced with the 'translucent inner tank finish' that has become the popular standard with the Envirostore range.



*Modern type nozzle with built-in flow meter*

## enviroblu

part of the **envirostore range** of tanks

AdBlue is now widely used in modern trucks, cars and farm vehicles. Enviroblu Tanks have been designed for easy storage and use with the AdBlue product, and our customers can order these tanks, specifically with their own needs in mind.

### What is AdBlue?

AdBlue is a solution of urea in demineralised water (32,5%) used as a fluid in the latest generation of diesel-powered Euro4 and Euro5 trucks. It is not a fuel additive.

### How does AdBlue Work?

AdBlue is stored in a separate tank on the vehicle. It is metered and sprayed into the hot exhaust manifold where the urea

solution breaks-down into ammonia and reacts with the exhaust gasses in the presence of a catalytic converter.

The oxides of nitrogen formed at combustion are converted into harmless elementary nitrogen and water which is called Selective Catalytic Reduction (SCR). The usage of AdBlue lies at 3 to 5% of the diesel usage.





### 1000 ESADBLU\*

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	2000mm
<b>Width</b>	680mm
<b>Height</b>	1900mm
	1475mm (to lid)
<b>Footprint</b>	1920mm x 680mm



### 1300 EHADBLU

<b>Brimful</b>	1400 litres
<b>Nominal</b>	1330 litres
<b>Length</b>	1830mm
<b>Width</b>	1300mm
<b>Height</b>	1800mm
<b>Footprint</b>	1340mm x 1230mm



### 2500 EHADBLU

<b>Brimful</b>	2625 litres
<b>Nominal</b>	2493 litres
<b>Length</b>	2230mm
<b>Width</b>	1530mm
<b>Height</b>	1960mm
<b>Footprint</b>	1700mm x 1470mm



### 1360 EVADBLU

<b>Brimful</b>	1360 litres
<b>Nominal</b>	1300 litres
<b>Length</b>	1280mm
<b>Width</b>	1280mm
<b>Height</b>	1940mm
<b>Footprint</b>	1280mm x 1280mm



### 2500 EVADBLU

<b>Brimful</b>	2690 litres
<b>Nominal</b>	2555 litres
<b>Length</b>	1625mm
<b>Width</b>	1625mm
<b>Height</b>	1950mm
<b>Footprint</b>	1625mm x 1625mm



### 5000 EVADBLU

<b>Brimful</b>	5280 litres
<b>Nominal</b>	5016 litres
<b>Length</b>	2818mm (inc cabinet)
<b>Width</b>	2138mm
<b>Height</b>	2160mm
<b>Footprint</b>	2818mm x 2130mm



### 8050 EVADBLU

<b>Brimful</b>	8050 litres
<b>Nominal</b>	7650 litres
<b>Length</b>	3068mm (inc cabinet)
<b>Width</b>	2388mm
<b>Height</b>	2560mm
<b>Footprint</b>	3090mm x 2400mm

Enviroblu tanks can be purchased on their own or customised to suit with the Envirostore range of accessories

- 4 or 6 metre hoses
- AdBlue Pump Unit
- Flow Meter
- Todo Dry Break Fitting
- Apollo Visual Gauge with Bund Alarm\*
- Hydrostatic Gauge
- Overfill Prevention Device\*

\*If Overfill, Bund Alarms or Filters are required these must be specified BEFORE placing an order.

## IMPORTANT INFORMATION

For specific information relating to the AdBlue chemical and specific storage requirements, please contact your AdBlue supplier before ordering your Enviroblu tank.

\* No lifting points on 1000 ESADBLU



# THE SINGLE SKIN TANK



## Optional extras

Our fitting packs contain:

- Filter Bowl Assembly
- Reducer
- PTFE Tape

For more accessories please see page 18.



Whilst Single Skin Tanks **may** be used for domestic oil storage we recommend that Single Skin Tanks are used for water storage only and that a **Envirostore Integrally Bunded Tank** be used on all oil storage applications including domestic **or over a suitable catchpit (bund)** which has been inspected by a suitably qualified engineer. Regional requirements may apply.



## **NEW REGULATIONS FOR OIL TANKS IN WALES**

See inside back cover for details.

## **MAE RHEOLIADAU STORIO OLEW NEWYDD BELLACH MEWN GRYM YNG NGHYMRU**

Gweler y tu mewn i'r clawr cefn am fanylion.

**Declaration of performances (D.O.P.'s)  
are available to stockists upon request.**



### 850 ESO

**Brimful** 850 litres  
**Nominal** 808 litres  
**Length** 1645mm  
**Width** 585mm  
**Height** 1225mm  
**Footprint** 1540mm x 585mm



### 1250 ELO

**Brimful** 1330 litres  
**Nominal** 1260 litres  
**Length** 1740mm  
**Width** 1230mm  
**Height** 990mm  
**Footprint** 1640mm x 1150mm



### 1300 EHO

**Brimful** 1400 litres  
**Nominal** 1330 litres  
**Length** 1620mm  
**Width** 1100mm  
**Height** 1260mm  
**Footprint** 1180mm x 1020mm



### 1800 EHO

**Brimful** 1890 litres  
**Nominal** 1800 litres  
**Length** 1930mm  
**Width** 1150mm  
**Height** 1320mm  
**Footprint** 1525mm x 1090mm



### 2500 EHO

**Brimful** 2625 litres  
**Nominal** 2493 litres  
**Length** 2040mm  
**Width** 1320mm  
**Height** 1460mm  
**Footprint** 1550mm x 1220mm



### 1360 EVO

**Brimful** 1360 litres  
**Nominal** 1300 litres  
**Length** 1160mm  
**Width** 1160mm  
**Height** 1580mm  
**Footprint** 1160mm x 1160mm



### 2500 EVO

**Brimful** 2690 litres  
**Nominal** 2555 litres  
**Length** 1580mm  
**Width** 1580mm  
**Height** 1580mm  
**Footprint** 1580mm x 1580mm



### 5000 EVO

**Brimful** 5280 litres  
**Nominal** 5016 litres  
**Length** 1948mm  
**Width** 1948mm  
**Height** 1960mm  
**Footprint** 1940mm x 1940mm



### 8050 EVO

**Brimful** 8050 litres  
**Nominal** 7650 litres  
**Length** 2248mm  
**Width** 2248mm  
**Height** 2400mm  
**Footprint** 2240mm x 2240mm

# THE NON-POTABLE WATER TANK



## Additional information

Main inspection lid opening:  
455mm diameter

Outlet fitting size:  
Zinc plated  
1.5" bsp internal thread  
2" bsp external thread

Rear spigot:  
(where fitted)  
100mm coupling

No byelaw kits or other fittings are supplied.

With more and more homes and offices having metered water the Envirostore Water Tank is ideal for rainwater harvesting and can be used on those jobs that don't necessarily require filtered water; watering the garden, car valeting or window cleaning for example, and could save you money!



## 850 ESW

<b>Brimful</b>	850 litres
<b>Nominal</b>	808 litres
<b>Length</b>	1645mm
<b>Width</b>	585mm
<b>Height</b>	1225mm
<b>Footprint</b>	1540mm x 585mm



## 1000 ESW

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	1900mm
<b>Width</b>	620mm
<b>Height</b>	1320mm
<b>Footprint</b>	1800mm x 620mm



## 1225 ESW

<b>Brimful</b>	1270 litres
<b>Nominal</b>	1206 litres
<b>Length</b>	1740mm
<b>Width</b>	700mm
<b>Height</b>	1550mm
<b>Footprint</b>	1610mm x 700mm



### 1250 ELW

**Brimful** 1260 litres  
**Nominal** 1260 litres  
**Length** 1740mm  
**Width** 1260mm  
**Height** 990mm  
**Footprint** 1640mm x 1150mm



### 1300 EHW

**Brimful** 1400 litres  
**Nominal** 1330 litres  
**Length** 1620mm  
**Width** 1100mm  
**Height** 1260mm  
**Footprint** 1180mm x 1020mm



### 1800 EHW

**Brimful** 1890 litres  
**Nominal** 1800 litres  
**Length** 1860mm  
**Width** 1170mm  
**Height** 1320mm  
**Footprint** 1550mm x 1070mm



### 2500 EHW

**Brimful** 2625 litres  
**Nominal** 2493 litres  
**Length** 2040mm  
**Width** 1320mm  
**Height** 1460mm  
**Footprint** 1550mm x 1220mm



### 1360 EVW

**Brimful** 1360 litres  
**Nominal** 1300 litres  
**Length** 1160mm  
**Width** 1160mm  
**Height** 1580mm  
**Footprint** 1160mm x 1160mm



### 2500 EVW

**Brimful** 2690 litres  
**Nominal** 2555 litres  
**Length** 1580mm  
**Width** 1580mm  
**Height** 1580mm  
**Footprint** 1580mm x 1580mm



### 5000 EVW

**Brimful** 5280 litres  
**Nominal** 5016 litres  
**Length** 1948mm  
**Width** 1948mm  
**Height** 1960mm  
**Footprint** 1940mm x 1940mm



### 8050 EVW

**Brimful** 8050 litres  
**Nominal** 7650 litres  
**Length** 2248mm  
**Width** 2248mm  
**Height** 2400mm  
**Footprint** 2240mm x 2240mm



### 10000 EVW

**Brimful** 10100 litres  
**Nominal** 10000 litres  
**Length** 2400mm  
**Width** 2400mm  
**Height** 2560mm  
**Footprint** 2400mm x 2400mm





# THE POTABLE WATER TANK



## Additional information

Main inspection lid opening:  
455mm diameter

Outlet fitting size:  
Stainless steel  
1.5" bsp internal thread  
2" bsp external thread

Rear spigot:  
(where fitted)  
100mm coupling

No byelaw kits or other fittings are supplied.

Why not store your potable water in a tank from the Envirostore range. With the same reliability and safety you would expect for your drinking water.

For more information please contact us.



### 850 ESPW

<b>Brimful</b>	850 litres
<b>Nominal</b>	808 litres
<b>Length</b>	1645mm
<b>Width</b>	585mm
<b>Height</b>	1225mm
<b>Footprint</b>	1540mm x 585mm



### 1000 ESPW

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	1900mm
<b>Width</b>	620mm
<b>Height</b>	1320mm
<b>Footprint</b>	1800mm x 620mm



### 1225 ESPW

<b>Brimful</b>	1270 litres
<b>Nominal</b>	1206 litres
<b>Length</b>	1740mm
<b>Width</b>	700mm
<b>Height</b>	1550mm
<b>Footprint</b>	1610mm x 700mm





### 1250 EHLPW

<b>Brimful</b>	1330 litres
<b>Nominal</b>	1260 litres
<b>Length</b>	1740mm
<b>Width</b>	1230mm
<b>Height</b>	990mm
<b>Footprint</b>	1640mm x 1150mm



### 1300 EHPW

<b>Brimful</b>	1400 litres
<b>Nominal</b>	1330 litres
<b>Length</b>	1620mm
<b>Width</b>	1100mm
<b>Height</b>	1260mm
<b>Footprint</b>	1180mm x 1020mm



### 1800 EHPW

<b>Brimful</b>	1890 litres
<b>Nominal</b>	1800 litres
<b>Length</b>	1860mm
<b>Width</b>	1170mm
<b>Height</b>	1320mm
<b>Footprint</b>	1550mm x 1070mm



### 2500 EHPW

<b>Brimful</b>	2625 litres
<b>Nominal</b>	2493 litres
<b>Length</b>	2040mm
<b>Width</b>	1320mm
<b>Height</b>	1460mm
<b>Footprint</b>	1550mm x 1220mm



### 1360 EVPW

<b>Brimful</b>	1360 litres
<b>Nominal</b>	1300 litres
<b>Length</b>	1160mm
<b>Width</b>	1160mm
<b>Height</b>	1580mm
<b>Footprint</b>	1160mm x 1160mm



### 2500 EVPW

<b>Brimful</b>	2690 litres
<b>Nominal</b>	2555 litres
<b>Length</b>	1580mm
<b>Width</b>	1580mm
<b>Height</b>	1580mm
<b>Footprint</b>	1580mm x 1580mm



### 5000 EVPW

<b>Brimful</b>	5280 litres
<b>Nominal</b>	5016 litres
<b>Length</b>	1948mm
<b>Width</b>	1948mm
<b>Height</b>	1960mm
<b>Footprint</b>	1940mm x 1940mm



### 8050 EVPW

<b>Brimful</b>	8050 litres
<b>Nominal</b>	7650 litres
<b>Length</b>	2248mm
<b>Width</b>	2248mm
<b>Height</b>	2400mm
<b>Footprint</b>	2240mm x 2240mm



### 10000 EVPW

<b>Brimful</b>	10100 litres
<b>Nominal</b>	10000 litres
<b>Length</b>	2400mm
<b>Width</b>	2400mm
<b>Height</b>	2560mm
<b>Footprint</b>	2400mm x 2400mm



## WASTE OIL STORAGE

They come fitted with:

- lockable funnel lid with grate
- 2" suction pipe for easy removal of waste product

Our range of horizontal, vertical and low profile banded Waste Oil Tanks are an ideal and environmentally friendly way of safely storing waste oil and lubricants.

For more information please contact us.





### 750 ESBWOD

<b>Brimful</b>	850 litres
<b>Nominal</b>	808 litres
<b>Length</b>	1735mm
<b>Width</b>	680mm
<b>Height</b>	1375mm
<b>Footprint</b>	1615mm x 680mm

No lifting points on this model



### 1000 ESBWOD

<b>Brimful</b>	1080 litres
<b>Nominal</b>	1026 litres
<b>Length</b>	2000mm
<b>Width</b>	680mm
<b>Height</b>	1475mm
<b>Footprint</b>	1920mm x 680mm



### 1225 ESBWOD

<b>Brimful</b>	1270 litres
<b>Nominal</b>	1206 litres
<b>Length</b>	2060mm
<b>Width</b>	860mm
<b>Height</b>	1670mm
<b>Footprint</b>	2060mm x 860mm



### 1250 EHLBWOD

<b>Brimful</b>	1330 litres
<b>Nominal</b>	1260 litres
<b>Length</b>	1990mm
<b>Width</b>	1430mm
<b>Height</b>	1130mm
<b>Footprint</b>	1890mm x 1350mm



### 1300 EHBWOD

<b>Brimful</b>	1400 litres
<b>Nominal</b>	1330 litres
<b>Length</b>	1900mm
<b>Width</b>	1310mm
<b>Height</b>	1510mm
<b>Footprint</b>	1490mm x 1270mm



### 1800 EHBWOD

<b>Brimful</b>	1890 litres
<b>Nominal</b>	1800 litres
<b>Length</b>	2050mm
<b>Width</b>	1355mm
<b>Height</b>	1530mm
<b>Footprint</b>	1800mm x 1290mm



### 2500 EHBWOD

<b>Brimful</b>	2625 litres
<b>Nominal</b>	2493 litres
<b>Length</b>	2230mm
<b>Width</b>	1540mm
<b>Height</b>	1670mm
<b>Footprint</b>	1840mm x 1490mm

VERTICAL  
WASTE OIL TANKS  
AVAILABLE UPON  
REQUEST



# THE BUNKER RANGE

Designed with the quality customers expect from Envirostore and at an affordable price, the Bunker range comes in two handy size options, 4 Bag (160kg) and 7 Bag (280kg) and has a multitude of uses.

The new range of Bunkers from Envirostore... ideal for domestic, industrial and institutional environments.

### The Grit Bunker

Produced in an easily visible yellow colour. Ideal for residential and commercial environments.



**EGB 160KG**

Height 580mm\*  
 Width 840mm  
 Depth 790mm



**EGB 280KG**

Height 875mm\*  
 Width 840mm  
 Depth 790mm

\* Where casters are fitted (mobile unit) this makes an approximate increase to the height by 60mm. The height is approximate.

### The Coal Bunker

The design of the coal bunker, will enable the user to store the solid fuel dry and secure. No more unsightly mess around your bunker area.



**ECB 160KG**

**Height** 580mm\*  
**Width** 840mm  
**Depth** 790mm



**ECB 280KG**

**Height** 875mm\*  
**Width** 840mm  
**Depth** 790mm

### The Log Bin

Keep your logs or alternative fuel clean and dry. Or why not store your outdoor garden items when not in use? Tools, toys and garden furniture cushions etc, can all be kept clean, dry and secure.



**ELB 160KG**

**Height** 580mm\*  
**Width** 840mm  
**Depth** 790mm



**ELB 280KG**

**Height** 875mm\*  
**Width** 840mm  
**Depth** 790mm

### The Mobile Storage Bin

The mobile storage bin is fitted with casters, designed to enable the user to move the stored items safely and easily. Ideal for light industrial use, office, workshop, garden and home.



**EMSB 160KG**

**Height** 640mm  
**Width** 840mm  
**Depth** 790mm



**EMSB 280KG**

**Height** 935mm  
**Width** 840mm  
**Depth** 790mm

## OPTIONAL ACCESSORIES

Whilst at Envirostore we are totally flexible on all fittings we supply to our customers, we do recommend the following accessories featured opposite.

For further information on the Apollo Visual Device and the Apollo Smart visit [dunravensystems.com](http://dunravensystems.com)



### Apollo Visual Device

The Apollo Visual Device gives a reading at the point of filling, making it safer for the driver as they can visibly see the contents already in the tank prior to filling.



### The Apollo Smart

The Apollo Smart monitors fuel costs and heating oil usage as part of an integrated energy management plan, and can reduce heating costs.

### Filstop Device

The Filstop is tested up to 580 litres per minute, (max pressure 8 bar), providing safer filling for the delivery driver. We recommend that during filling of the tank, that the driver does not totally rely on the gauge alone.



### Ultra Compact Valve

With an Ultra Compact Valve fitted the usual 2/3 hour job of pumping-out the tank is transformed to a simple 2/3 minute fix when replacing an oil filter valve.



## Warranty and Installation

Envirostore understand that it is important for customers to have the back up of a warranty when and if required. Provided our tanks have been correctly installed or commissioned, by an approved engineer, in accordance with current guidelines/recommendations, the following warranty applies.

**To ensure your tank condition, and to protect the environment around your tank, please follow some simple guidelines.**

1. Envirostore Tanks Limited advise that a risk assessment should be carried out before installation by an approved engineer. Regional requirements may vary.
2. Envirostore Tanks Limited, recommend that an Integrally bundled tank be installed to **ALL** applications, including domestic. Regional requirements may vary.
3. Oil Tanks should be installed by a suitably qualified engineer.
4. Should your installer have concerns over the condition of the integrally bundled tank, or feels that the tank may be damaged, please contact our office immediately.

**DO NOT INSTALL THE INTEGRALLY BUNDED TANK IF YOU THINK IT IS DAMAGED.**

5. Your tank should be lifted using appropriate equipment, ie: fork lift, or equipment capable of using straps to lift the integrally bundled tank.  
Avoid lifting the tank by hand, as this could cause injury to you or people around you.
6. The lid should be closed correctly and locked after filling and maintenance.
7. When installing the integrally bundled tank, never install directly onto lawned or soft areas, or areas where the tank can be damaged, ie: stoney areas, or gravel paths. Keep the lid and spill tray lid area clean and dry.

8. The integrally bundled tank should be installed on a suitable base, either a correctly constructed concrete base, or concrete slabs, where the tank is fully supported on it's entire length and width across the base.

If using pillars to support the tank, these should be of a suitable material, ie: engineering bricks, or concrete blocks and supported using concrete lintels and concrete slabs.

For advice on base details, consult a suitably qualified engineer. (Your warranty could be affected if the integrally bundled tank is not supported correctly).

9. All Integrally Bunded Tanks have a 10 year warranty. Fuel Dispensers and Waste Oil Tanks carry a 5 year warranty. Single Skin Tanks, including Water Tanks, carry a 2 year warranty. Pumps on Fuel Dispensers, Filstops, Locks, Hinges, Seals and Fitting Packs carry a 1 year warranty. Hoses on Fuel Dispensers carry a 3 month warranty.
10. For details of warranty on Gauges, please consult the appropriate gauge manufacturers details separately.
11. **Envirostore accept liability for the replacement of faulty tanks, but accept no liability for loss of fuel and/or environment or property damage due to spillage of fuel from a Single Skin Tank. BS5410 Standard requires a fuel tank to have a 20 year life expectancy and this confirms the need to fit an Envirostore Integrally Bunded Tank. (For details on this please refer to the booklet supplied with every Envirostore tank).**
12. If you have any queries on any Envirostore Tanks Limited product, please contact us directly.

The Warranty on Integrally Bunded Tanks may be affected if not installed correctly, or if any unauthorised work has been carried out on the tank without the knowledge or permission of Envirostore Tanks Limited.

Warranty on Pumps, Hoses, Nozzles, Tank Packs, Filstops, Locks, Hinges, Seals, Fittings Packs and Gauges, may be affected if item has been tampered with, broken, vandalised or abused in any way.

Please note that regional requirements may vary in Scotland and the Channel Islands and Wales.

# NEW OIL STORAGE REGULATIONS ARE NOW IN FORCE IN WALES

New regulations came into force in Wales on the 15th March 2016, stating **all new installations must be bundled**. Further information can be found on the Welsh Government website or visit [www.oilcare.org.uk](http://www.oilcare.org.uk)



Daeth rheoliadau newydd i rym yng Nghymru ar 15eg Mawrth 2016, yn dweud bod **rheid i bob tanc olew a osodir o'r newydd fod wedi'i Fyndio**. Cewch ragor o wybodaeth ar wefan Llywodraeth Cymru neu ewch i [www.oilcare.org.uk](http://www.oilcare.org.uk)

MAE RHEOLIADAU  
**STORIO**  
OLEW NEWYDD  
**BELLACH**  
MEWN GRYM YNG  
**NGHYMRU**

## Notes



Envirostore Tanks Limited



## Important Information

The Inner Spill Tray must be kept clean and dry at all times. Locks and hinges need to be kept in good working order and can be maintained by using WD40 or 3in1 oil.

Connection and/or maintenance of electrical pumping equipment, should only be carried out by a qualified electrical contractor. Failure to do so, may effect your warranty on the pump and/or the tank itself.

Fuel Dispensers should be used only for storage and dispensing of diesel fuels to BS and EN standards. (If Bio-Diesel greater than 7% mix is to be used, please consult Envirostore Tanks Limited, before making your purchase).

Fuel Dispensers should NEVER be transported on the back of vehicles when containing fuel, and should not be moved or lifted when fuel is inside the tank itself.

The Inner Spill Tray must be kept clean and dry at all times. If for any reason the Inner Spill Tray has water spilt into it then do not remove the bung.

Do not store or dispense petrol from any tank shown in this brochure.

The pictures in this brochure are not to be used as installation guidance.

Dimensions shown are approximate. Capacity details shown as brimful and nominal.

Envirostore Tanks Limited reserve the right to amend tank designs and sizes, to use alternative pumps and/or equipment without prior notice.

Envirostore Tanks are manufactured in accordance with current standards and guidelines.

**Declaration of performances (D.O.P.'s) are available to stockists upon request.**